


BENDABLE PROBE THERMOCOUPLE PROBE BENDS TO ANY ANGLE

1/8" OR 3/16" DIA. PROBE TYPE J AND TYPE K



TYPE J

PART NUMBER	TYPE	PROBE DIA.	PROBE LENGTH	LEAD LENGTH
BP-618	J	1/8"	6"	48"
BP-61872	J	1/8"	6"	72"
BP-618120	J	1/8"	6"	120"
BP-636	J	3/16"	6"	48"
BP-63672	J	3/16"	6"	72"
BP-636120	J	3/16"	6"	120"
BP-1218	J	1/8"	12"	48"
BP-121872	J	1/8"	12"	72"
BP-1218120	J	1/8"	12"	120"
BP-1236	J	3/16"	12"	48"
BP-123672	J	3/16"	12"	72"
BP-1236120	J	3/16"	12"	120"

TYPE K

BPK-618	K	1/8"	6"	48"
BPK-61872	K	1/8"	6"	72"
BPK-618120	K	1/8"	6"	120"
BPK-636	K	3/16"	6"	48"
BPK-63672	K	3/16"	6"	72"
BPK-636120	K	3/16"	6"	120"
BPK-1218	K	1/8"	12"	48"
BPK-121872	K	1/8"	12"	72"
BPK-1218120	K	1/8"	12"	120"
BPK-1236	K	3/16"	12"	48"
BPK-123672	K	3/16"	12"	72"
BPK-1236120	K	3/16"	12"	120"

SPARE COMPRESSION FITTINGS

1/8" I.D. = Part No. 68C-2-2 ... \$1.25 ea.

3/16" I.D. = Part No. 68C-3-2 ... \$1.50 ea.

TYPE J

IRON/CONSTANTAN

+ POSITIVE = IRON, WHITE COVER
- NEGATIVE = CONSTANTAN, RED COVER


TYPE K

CHROMEL/ALUMEL

+ POSITIVE = CHROMEL, YELLOW COVER
- NEGATIVE = ALUMEL, RED COVER

Flex Tubular Heaters 6.5mm


EL PASO
MOLD SUPPLY



6.5 & 8.0mm diameter. Operating voltage 230 Volt. Threaded pins on both ends.


6.5MM FLEXIBLE TUBULAR HEATERS		
ITEM NO.	LENGTH (mm)	WATTAGE
HFL650300	300	480
HFL650350	350	480
HFL650400	400	500
HFL650450	450	600
HFL650500	500	700
HFL650550	550	780
HFL650600	600	860
HFL650650	650	950
HFL650700	700	1000
HFL650750	750	1100
HFL650800	800	1100

8.0MM HIGH-WATT FLEXIBLE TUBULAR HEATERS		
ITEM NO.	LENGTH (mm)	WATTAGE
HFH8030	300	605
HFH8035	350	675
HFH8040	400	795
HFH8045	450	910
HFH8050	500	1025
HFH8055	550	1145
HFH8060	600	1260
HFH8065	650	1380
HFH8070	700	1495
HFH8075	750	1615
HFH8080	800	1730
HFH8085	850	1845
HFH8090	900	1960
HFH8095	950	2080
HFH8100	1000	2195
HFH8105	1050	2316
HFH8110	1100	2430
HFH8115	1150	2545
HFH8120	1200	2665
HFH8125	1250	2780
HFH8130	1300	2895
HFH8135	1350	3015
HFH8140	1400	3130
HFH8145	1450	3245
HFH8150	1500	3365



Flex Tubular Heaters 8.0mm

EL PASO
MOLD SUPPLY




DME Manifold Flexible Replacement Heaters

8.0mm diameter. Operating voltage 230 Volt. Threaded pins on both ends.

HIGH-WATT FLEXIBLE TUBULAR HEATERS		
ITEM NO.	LENGTH (mm)	WATTAGE
HFH8030	300	605
HFH8035	350	615
HFH8040	400	730
HFH8045	450	835
HFH8050	500	940
HFH8055	550	1050
HFH8060	600	1155
HFH8065	650	1265
HFH8070	700	1370
HFH8075	750	1480
HFH8080	800	1585
HFH8085	850	1690
HFH8090	900	1800
HFH8095	950	1910
HFH8100	1000	2015
HFH8105	1050	2125
HFH8110	1100	2230
HFH8115	1150	2335
HFH8120	1200	2445
HFH8125	1250	2555
HFH8130	1300	2655
HFH8135	1350	2765
HFH8140	1400	2870
HFH8145	1450	2980
HFH8150	1500	3090


LOW-WATT FLEXIBLE TUBULAR HEATERS		
ITEM NO.	LENGTH (mm)	WATTAGE
HFL8040	400	310
HFL8045	450	330
HFL8050	500	375
HFL8055	550	420
HFL8060	600	460
HFL8065	650	505
HFL8070	700	545
HFL8075	750	590
HFL8080	800	635
HFL8085	850	675
HFL8090	900	720
HFL8095	950	760
HFL8100	1000	805
HFL8105	1050	850
HFL8110	1100	890
HFL8115	1150	930
HFL8120	1200	975
HFL8125	1250	1020
HFL8130	1300	1060
HFL8135	1350	1105
HFL8140	1400	1150
HFL8145	1450	1190
HFL8150	1500	1235

NOTE: Low-watt 230V heaters are non-stock items - 4 week lead time.



Flex Tubular Heaters 8.5mm

EL PASO
MOLD SUPPLY



8.5mm diameter. Operating voltage 230 Volt. Threaded pins

HIGH-WATT FLEXIBLE TUBULAR HEATERS		
ITEM NO.	LENGTH (mm)	WATTAGE
HFH850300	300	650
HFH850350	350	750
HFH850400	400	900
HFH850450	450	1050
HFH850500	500	1150
HFH850550	550	1300
HFH850600	600	1450
HFH850650	650	1600
HFH850700	700	1750
HFH850750	750	1900
HFH850800	800	2050
HFH850850	850	2200
HFH850900	900	2350
HFH850950	950	2500
HFH851000	1000	2650
HFH851050	1050	2800
HFH851100	1100	2930
HFH851150	1150	3060
HFH851200	1200	3190
HFH851250	1250	3320
HFH851300	1300	3450
HFH851350	1350	3580
HFH851400	1400	3710
HFH851450	1450	3840
HFH851500	1500	3970